

Dosage Charts

Critical Care® Herbivore & Herbivore Fine Grind

DOSAGE GUIDELINES:

These charts are generalized guidelines for daily feeding. Individual needs will vary with species, age, genetics, activity level, nutritional condition, and medical condition. **For species and age-specific measurements, visit OxbowVetConnect.com.**



DIRECTIONS FOR USE:

As a general guideline, mix 1 part Critical Care® to 2-3 parts warm water, depending on feeding method (syringe vs. feeding tube). The volume of water may be adjusted to obtain optimal feeding consistency. Amounts are general guidelines and should be adjusted based on patient condition. Divide into 4-6 feedings. Water should be available to the animal at all times.

MAMMAL: SMALL HERBIVORE			
Weight		Dry Product	
Lb	Kg	Tbsp	Grams
1.1	0.5	3.50	31
2.2	1.0	5.75	52
3.3	1.5	8.00	72
4.4	2.0	9.75	88
5.5	2.5	11.50	104
6.6	3.0	13.50	120
8.8	4.0	16.50	148
11.0	5.0	19.50	176

REPTILE: SMALL HERBIVORE			
Weight		Dry Product	
Lb	Kg	Tbsp	Grams
0.6	0.3	0.5	4
1.1	0.5	0.75	7
2.2	1.0	1.25	12
3.3	1.5	1.75	16
4.4	2.0	2.25	21
5.5	2.5	3.0	28
6.6	3.0	3.5	32
8.8	4.0	4.0	35

Critical Care® Omnivore Quick Dosage Chart

DOSAGE GUIDELINES:

These charts are generalized guidelines for daily feeding. Individual needs will vary with species, age, genetics, activity level, nutritional condition, and medical condition. **For species and age-specific measurements, visit OxbowVetConnect.com.**



CHICKEN				
	Weight		Dry Product	
	Lb	Kg	Tbsp	Grams
Bantam	1.7	0.75	4.00	32
	2.2	1.00	5.00	40
	3.3	1.50	6.75	54
	4.4	2.00	8.50	68
Standard	5.5	2.50	8.00	64
	6.6	3.00	9.00	72
	7.7	3.50	10.25	82
	8.8	4.00	11.25	90

DIRECTIONS FOR USE:

As a general guideline, mix 1 part Critical Care® Omnivore to 1 part warm water. The volume of water may be adjusted to obtain optimal feeding consistency. Amounts are general guidelines and should be adjusted based on patient condition. Divide into 4-6 feedings. For birds, do not exceed 3% of body weight per feeding. Water should be available to the animal at all times.

Recommendations are based on Critical Care® Omnivore as the only source of nutrition.

MAMMAL			
Weight		Dry Product	
Lb	Kg	Tbsp	Grams
0.05	0.02	0.25	2
0.20	0.10	1.00	8
0.40	0.20	1.50	12
1.10	0.50	3.00	24
2.20	1.00	5.00	40
3.30	1.50	6.75	54
4.40	2.00	8.50	68
6.60	3.00	11.50	92

REPTILE			
Weight		Dry Product	
Lb	Kg	Tbsp	Grams
0.2	0.1	0.25	2
0.6	0.3	0.50	4
1.1	0.5	0.75	6
2.2	1.0	1.25	10
3.3	1.5	1.75	14
4.4	2.0	2.25	18
6.6	3.0	3.00	24
7.7	3.5	3.50	28



Critical Care® Carnivore Quick Dosage Chart

DOSAGE GUIDELINES:

These charts are generalized guidelines for daily feeding. Individual needs will vary with species, age, genetics, activity level, nutritional condition, and medical condition. **For species and age-specific measurements, visit OxbowVetConnect.com.**

DIRECTIONS FOR USE:

As a general guideline, mix 2 parts Critical Care® Carnivore to 1 part warm water. The volume of water may be adjusted to obtain optimal feeding consistency. Amounts are general guidelines and should be adjusted based on patient condition. Divide into 2-4 feedings. Water should be available to the animal at all times.

Recommendations are based on Critical Care® Carnivore as the only source of nutrition.

For more recommendations, visit oxbowvetconnect.com

MAMMAL: CAT			
Weight		Dry Product	
Lb	Kg	Tbsp	Grams
0.5	0.2	2	7
1.0	0.5	3	11
2.0	0.9	4	17
3.0	1.4	6	23
4.0	1.8	7	27
5.0	2.3	8	32
7.0	3.2	10	40
10.0	4.6	13	51
12.0	5.5	14	57
14.0	6.4	16	64

AVIAN: RAPTOR			
Weight		Dry Product	
Lb	Kg	Tbsp	Grams
0.6	0.3	4.25	17
1.1	0.5	6.25	25
2.2	1.0	10.50	42
3.3	1.5	14.00	56
4.4	2.0	17.50	70
6.6	3.0	23.75	95

REPTILE: CARNIVORE			
Weight		Dry Product	
Lb	Kg	Tbsp	Grams
0.6	0.3	0.5	2
1.1	0.5	1.0	4
2.2	1.0	1.75	7
3.3	1.5	2.5	10
5.5	2.5	3.5	14
7.7	3.5	4.5	18
8.8	4.0	5.0	20
9.9	4.5	5.5	22

MAMMAL: FERRET			
Weight		Dry Product	
Lb	Kg	Tbsp	Grams
0.6	0.3	2.5	11
1.1	0.5	3.75	15
2.2	1.0	6.5	26
3.3	1.5	8.75	35
4.4	2.0	10.75	43
5.5	2.5	12.75	51
6.6	3.0	14.75	59
8.8	4.0	18.25	73

Dosage Chart References: *Critical Care® Herbivore & Herbivore Fine Grind* References: 1. Cheeke PR. *Rabbit Feeding and Nutrition*. Academic Press; 1987. 2. Hand MS, Thatcher CD, Remillard RL, Roudebush P (eds). *Small Animal Clinical Nutrition 4th Ed*. Topeka: Mark Morris Institute; 2000. 3. Mader DR. *Reptile Medicine and Surgery 2nd Ed*. St. Louis: Elsevier/Saunders; 2006.

Critical Care® Omnivore References: 1. Klasing, Kirk C. *Comparative avian nutrition*. Cab International, 1998. 2. National Research Council. *Nutrient requirements of poultry: 1994*. National Academies Press, 1994.

Raptor References: 1. Pokras MA, Karas A, Kirkwood J, and Sedgwick CJ. *An introduction to allometric scaling and its uses in raptor medicine*. In: Redig PT, et al.(eds). *Raptor biomedicine*. University of Minnesota Press; 1993:211-224.

Reptile References: 1. Hand MS, Thatcher CD, Remillard RL, Roudebush P (eds). *Small Animal Clinical Nutrition 4th Ed*. Topeka, Mark Morris Institute; 2000. 2. Mader DR. *Reptile Medicine and Surgery 2nd Ed*. St. Louis, Elsevier/Saunders; 2006.

Ferret References: 1. McNab BK. *The influence of food habits on the energetics of eutherian mammals*. *Ecological Monographs*; 1986. 2. National Research Council (NRC) *Nutrient Requirements of Mink and Foxes 2nd Ed*. The National Academy of Sciences: 1982

Cat References: 1. *Nutrient Requirements of cats, second revised edition, 2006, The National Academy of Sciences*